

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	5571	charg\$4 near8 maximum near2 voltage	US-PGPUB; USPAT	AND	ON	2009/10/07 09:45
L5	2812	battery near2 rechargeable near6 (low or light or "stand by" or stand-by or standby)	US-PGPUB; USPAT	AND	ON	2009/10/07 09:45
L6	107	4 and 5	US-PGPUB; USPAT	AND	ON	2009/10/07 09:46
L7	4742	charg\$4 near6 maximum near2 voltage	US-PGPUB; USPAT	AND	ON	2009/10/07 10:11
L8	100	6 and 7	US-PGPUB; USPAT	AND	ON	2009/10/07 10:11
L9	860	charg\$4 near8 (predetermined or preset \$4 or reference or target or threshold or limit or desired) near2 maximum near2 voltage	US-PGPUB; USPAT	AND	ON	2009/10/07 10:13
L10	44236	charg\$4 near8 (predetermined or preset \$4 or reference or target or threshold or limit or desired) near2 voltage	US-PGPUB; USPAT	AND	ON	2009/10/07 10:14
L11	100	5 and 7	US-PGPUB; USPAT	AND	ON	2009/10/07 10:14
L12	2405	4 and 10	US-PGPUB; USPAT	AND	ON	2009/10/07 10:15
L13	9	battery near2 rechargeable near6 (low or light or "stand by" or stand-by or standby) same charg\$4 near2 rang\$4	US-PGPUB; USPAT	AND	ON	2009/10/07 10:17
L14	86	battery near2 rechargeable near6 (low or light or "stand by" or stand-by or standby) and charg\$4 near2 rang \$4	US-PGPUB; USPAT	AND	ON	2009/10/07 10:17

L15	11	battery near2 rechargeable near6 ("low load" or "light load" or idl\$4 or "stand by" or stand-by or standby) and charg\$4 near2 rang\$4	US-PGPUB; USPAT	AND	ON	2009/10/07 10:40
L16	171	battery near2 rechargeable near6 ("low load" or "light load" or idl\$4 or "stand by" or stand-by or standby)	US-PGPUB; USPAT	AND	ON	2009/10/07 10:40
L17	4080	charg\$4 near6 (maximum and minimum)	US-PGPUB; USPAT	AND	ON	2009/10/07 11:33
L18	2814	battery near2 ("low load" or "light load" or idl \$4 or "stand by" or stand-by or standby)	US-PGPUB; USPAT	AND	ON	2009/10/07 11:33
L19	84	17 and 18	US-PGPUB; USPAT	AND	ON	2009/10/07 11:34
L20	954053	(maximum and minimum)	US-PGPUB; USPAT	AND	ON	2009/10/07 12:27
L21	784	20 and 18	US-PGPUB; USPAT	AND	ON	2009/10/07 12:27
L22	3510	(maximum near2 voltage) and (minimum near2 current)	US-PGPUB; USPAT	AND	ON	2009/10/07 12:29
L23	46	22 and 18	US-PGPUB; USPAT	AND	ON	2009/10/07 12:29
L24	11	(maximum adj charg\$4 adj voltage) and (minimum adj charg\$4 adj current)	US-PGPUB; USPAT	AND	ON	2009/10/07 12:34
L25	33	(maximum near2 charg \$4 near2 voltage) and (minimum near2 charg \$4 near2 current)	US-PGPUB; USPAT	AND	ON	2009/10/07 12:37
L26	1	18 and 25	US-PGPUB; USPAT	AND	ON	2009/10/07 12:38
L29	53	decreas\$4 near2 charg \$4 near2 current\$2 and (battery near2 ("low load" or "light load" or idl \$4 or "stand by" or stand-by or standby))	US-PGPUB; USPAT	AND	ON	2009/10/07 12:57
L31	60449	(maximum near2 voltage)	US-PGPUB; USPAT	AND	ON	2009/10/07 13:06

L32	5866	charg\$4 with (maximum near2 voltage)	US-PGPUB; USPAT	AND	ON	2009/10/07 13:06
L33	6101	battery near4 ("low load" or standby or "stand by" or "stand-by" or idl\$4 or "no load")	US-PGPUB; USPAT	AND	ON	2009/10/07 13:08
L34	225	32 and 33	US-PGPUB; USPAT	AND	ON	2009/10/07 13:09
L35	656	batter\$3 near4 "no load"	US-PGPUB; USPAT	AND	ON	2009/10/07 13:43
L36	56	32 and 35	US-PGPUB; USPAT	AND	ON	2009/10/07 13:43
L37	656	batter\$3 near4 ("no load" or "no-load")	US-PGPUB; USPAT	AND	ON	2009/10/07 13:46
L38	56	37 and 32	US-PGPUB; USPAT	AND	ON	2009/10/07 13:46
L39	390	battery near4 ("low load" or standby or "stand by" or "stand-by" or idl\$4 or "no load" or "no-load") same (compensat\$4 or offset \$4 or correct\$4)	US-PGPUB; USPAT	AND	ON	2009/10/07 13:57
L40	14281	"320"/\$.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 13:57
L41	76	39 and 40	US-PGPUB; USPAT	AND	ON	2009/10/07 13:57
L42	70	battery near4 ("low load" or standby or "stand by" or "stand-by" or idl\$4 or "no load" or "no-load") same (compensat\$4 or offset \$4 or correct\$4) and rechargeable near2 battery	US-PGPUB; USPAT	AND	ON	2009/10/07 14:41
L43	281	battery near4 charg\$4 and (battery near4 ("low load" or standby or "stand by" or "stand-by" or idl\$4 or "no load" or "no-load") same (compensat\$4 or offset \$4 or correct\$4))	US-PGPUB; USPAT	AND	ON	2009/10/07 14:50

L44	4034	charg\$4 near4 battery near8 voltage near2 (maximum or predetermin\$4 or desir \$4 or threshold or target or limit\$\$)	US-PGPUB; USPAT	AND	ON	2009/10/07 15:00
L45	141	44 and 37	US-PGPUB; USPAT	AND	ON	2009/10/07 15:01
L46	6	("5600226" "5898294" "6154011" "6307352").PN. OR ("6459239").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/07 15:16
L47	19	("5277694" "5279292" "5411467" "5411537" "5690693" "5702431" "5814095").PN. OR ("6227204").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2009/10/07 15:25
L48	1825	battery near2 charg\$4 and implant	US-PGPUB; USPAT	AND	ON	2009/10/07 15:41
L49	7567	battery near4 ("low load" or standby or "stand by" or "stand-by" or idl\$4 or sleep\$4)	US-PGPUB; USPAT	AND	ON	2009/10/07 15:42
L50	67	48 and 49	US-PGPUB; USPAT	AND	ON	2009/10/07 15:42
L51	141	607/33.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:19
L52	521	607/32.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:19
L53	78	607/34.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:19
L54	1026	607/60.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:20
L55	320	607/61.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:20
L56	270	381/326.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:23
L57	795	381/322.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:24
L58	354	381/323.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:24
L59	356	381/324.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:24
L60	417	381/380.ccls.	US-PGPUB; USPAT	AND	ON	2009/10/07 16:24

L61	0	batter\$3 near4 ("no load" or "no-load") near10 calculat\$4 near2 (compensat\$4 or offset \$4)	US-PGPUB; USPAT	AND	ON	2009/10/07 16:29
L62	0	batter\$3 near4 ("no load" or "no-load") with calculat\$4 near2 (compensat\$4 or offset \$4)	US-PGPUB; USPAT	AND	ON	2009/10/07 16:29
L63	1	batter\$3 near4 ("no load" or "no-load") same calculat\$4 near2 (compensat\$4 or offset \$4)	US-PGPUB; USPAT	AND	ON	2009/10/07 16:29
L104	2	batter\$3 near4 ("no load" or "no-load") same (calculat\$4 or estimat \$4) near2 (compensat\$4 or offset\$4 or differen \$3)	US-PGPUB; USPAT	AND	ON	2009/10/07 16:46
L105	35	batter\$3 near4 ("no load" or "no-load") and offset and calibrat\$4	US-PGPUB; USPAT	AND	ON	2009/10/07 16:56
L106	344	batter\$3 near4 ("low load" or "light load" or sleep\$4 or idl\$4) and offset and calibrat\$4	US-PGPUB; USPAT	AND	ON	2009/10/07 16:57
L107	1	batter\$3 near4 ("low load" or "light load" or sleep\$4 or idl\$4) same offset same calibrat\$4	US-PGPUB; USPAT	AND	ON	2009/10/07 16:57
L108	17	batter\$3 near4 ("no load" or "no-load") same ((calibrat\$4 or measur \$4 or calculat\$4) near4 (error or difference))	US-PGPUB; USPAT	AND	ON	2009/10/07 17:00
L109	88	batter\$3 near4 ("no load" or "no-load" or "open circuit") same ((calibrat\$4 or measur \$4 or calculat\$4) near4 (error or difference))	US-PGPUB; USPAT	AND	ON	2009/10/07 17:04

L110	9	batter\$3 near4 ("no load" or "no-load" or "open circuit") and ((microprocessor or processor or cpu) near2 (calibrat\$4 or measur\$4 or calculat\$4 or estimat\$4) near4 (error or difference))	US-PGPUB; USPAT	AND	ON	2009/10/07 17:19
------	---	---	--------------------	-----	----	---------------------

10/ 7/ 2009 5:31:59 PM**C:\ Documents and Settings\ epham\ My Documents\ EAST\ Workspaces\ 10565210.wsp**